

The Honeywell range of camera housings provide compact, weatherproof housings for internal and external applications.

Made from extruded aluminium with a polycarbonate, scratch resistant window, the AVH500 housings are durable and lightweight.

The innovative opening system allows access to the interior. The body and sunshield slide forward and remain suspended from the main unit allowing hands free access to the camera and lens when installing or servicing.

All units, excluding the dustproof only (internal version) are weatherproof to IP66 standards and

there are two available mounting options of a standard wall mount bracket or the cable managed bracket.

The AVH500 range is suitable for all Honeywell cameras and many other manufacturers CCD cameras with a fixed lens. Available with a variety of options including sunshield, heater and thermostatic blower with air filter, the Honeywell housings provide a comprehensive range for any application.

AVH500

Features

- Suitable for indoor and outdoor applications
- Extruded aluminium body
- Innovative opening system allows hands free camera / lens installation and maintenance
- Power requirement options available
- Polycarbonate window with special scratch resistant treatment
- Wide range of accessories available
- Standard or cable managed mounting options
- Compatible with all Honeywell camera and lens combinations

AVH500



Datasheet

Technical Specification


300mm Dustproof Housing
300mm Housing with Sunshield
300mm Housing with Sunshield and Heater 12VDC
300mm Housing with Sunshield and Heater 110VAC ~240VAC
300mm Housing with Sunshield and Heater, 12VDC, including factory fitted Blower, Thermostat and Air Filter
300mm Housing with Sunshield and Heater, 24VAC, including factory fitted Blower, Thermostat and Air Filter
300mm Housing with Sunshield and Heater, 230VAC, including factory fitted Blower, Thermostat and Air Filter
Cable managed wall mount bracket RAL7035
Standard wall mount bracket RAL7035
Retrofit PSU for housing 100V~ 240VAC switching.12VDC at 1A output

AVH500PS2-24 Retrofit PSU for housing. 230VAV input 24VAC at 100mA output

The manufacturer reserves the right to alter the specification of products without prior notice.

Housing Dimensions

Main body



Sunshield



Internal Dimensions: 90 x 60 x 300mm

Honeywell Security (UK Head Office) Aston Fields Road, Whitehouse Industrial Estate, Runcorn, Cheshire. WA7 3DL t: +44 (0) 1928 754040 f: +44 (0) 01928 754041 Honeywell Security (UK Southern Office) Unit 4, Barnes Wallis Court, Cressex Business Park, High Wycombe,Buckinghamshire HP12 3PS

54040 f: +44 (0) 01928 754041 t: +44 (0) 1494 493600 f: +44 (0) 01494 493636

Honeywell